

Item description/product images

**Description****Material:**

Hard components fibreglass reinforced plastic.
Soft components thermoplastic elastomer.
Screws steel grade 5.8 or stainless steel 1.4305.

Version:

Steel trivalent blue passivated.
Stainless steel, bright.


Note:

The colour combination
black grey RAL 7021 (hard components) and
black grey RAL 7021 (soft components)
are supplied as standard.

On request:

Other versions.

Drawings



Overview of items

Order No.	Form	Component material	D	D1	D2	H	H1	L
06225-5006X15	L	steel	M6	50	26	55	10	15
06225-5006X20	L	steel	M6	50	26	55	10	20
06225-5006X25	L	steel	M6	50	26	55	10	25
06225-5008X20	L	steel	M8	50	26	55	10	20
06225-5008X25	L	steel	M8	50	26	55	10	25
06225-5008X30	L	steel	M8	50	26	55	10	30
06225-5008X40	L	steel	M8	50	26	55	10	40
06225-5010X30	L	steel	M10	50	26	55	10	30
06225-5010X40	L	steel	M10	50	26	55	10	40
06225-5010X50	L	steel	M10	50	26	55	10	50
06225-05006X15	L	stainless steel	M6	50	26	55	10	15
06225-05006X30	L	stainless steel	M6	50	26	55	10	30
06225-05008X20	L	stainless steel	M8	50	26	55	10	20
06225-05008X25	L	stainless steel	M8	50	26	55	10	25
06225-05008X40	L	stainless steel	M8	50	26	55	10	40
06225-05010X30	L	stainless steel	M10	50	26	55	10	30
06225-05010X40	L	stainless steel	M10	50	26	55	10	40

Overview of items

Order No.	Form	Component material	D	D1	D2	H	H1	L
06225-05010X50	L	stainless steel	M10	50	26	55	10	50