

Item description/product images



Description

Material:

T-grip reinforced thermoplastic.
Bushes and threaded pins steel or stainless steel 1.4305.


Version:

Grip black grey RAL 7021 or red similar to RAL 3020.
Steel parts trivalent blue passivated.
Stainless steel bright.

On request:

Other screw sizes, screw lengths and colours.

Drawings



Overview of items

Order No.	Form	Component material	Steel key	Main colour	Surface finish component	A	B	D	D3	H	H1	L
06648-05-5505X15	L	steel	1.0715	black grey RAL 7021	blue-passivated	55	12,6	M5	16	33	21,3	15
06648-05-5505X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	55	12,6	M5	16	33	21,3	20
06648-05-6506X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	20
06648-05-6506X25	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	25
06648-05-6506X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	30
06648-05-6506X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	40
06648-05-6508X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	20
06648-05-6508X25	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	25
06648-05-6508X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	30
06648-05-6508X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	40
06648-05-7508X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	20
06648-05-7508X25	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	25
06648-05-7508X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	30
06648-05-7508X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	40
06648-05-7510X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	20
06648-05-7510X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	30
06648-05-7510X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	40
06648-05-7510X50	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	50
06648-05-8510X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	30
06648-05-8510X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	40
06648-05-8510X50	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	50
06648-05-8512X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	30
06648-05-8512X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	40
06648-05-8512X50	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	50
06648-05-05505X15	L	stainless steel	1.4305	black grey RAL 7021	bright	55	12,6	M5	16	33	21,3	15
06648-05-05505X20	L	stainless steel	1.4305	black grey RAL 7021	bright	55	12,6	M5	16	33	21,3	20
06648-05-06506X20	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	20
06648-05-06506X25	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	25
06648-05-06506X30	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	30
06648-05-06506X40	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	40
06648-05-06508X20	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	20
06648-05-06508X25	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	25
06648-05-06508X30	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	30
06648-05-06508X40	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	40
06648-05-07508X20	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	20
06648-05-07508X25	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	25
06648-05-07508X30	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	30
06648-05-07508X40	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	40
06648-05-07510X20	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	20
06648-05-07510X30	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	30
06648-05-07510X40	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	40
06648-05-07510X50	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	50
06648-05-08510X30	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	30
06648-05-08510X40	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	40
06648-05-08510X50	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	50
06648-05-08512X30	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	30
06648-05-08512X40	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	40
06648-05-08512X50	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	50
06648-05-65505X15	L	steel	1.0715	traffic red RAL 3020	blue-passivated	55	12,6	M5	16	33	21,3	15
06648-05-65505X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	55	12,6	M5	16	33	21,3	20
06648-05-66506X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	20
06648-05-66506X25	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	25
06648-05-66506X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	30
06648-05-66506X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	40
06648-05-66508X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	20
06648-05-66508X25	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	25
06648-05-66508X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	30
06648-05-66508X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	40
06648-05-67508X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	20
06648-05-67508X25	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	25
06648-05-67508X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	30
06648-05-67508X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	40
06648-05-67510X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	20
06648-05-67510X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	30
06648-05-67510X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	40

Overview of items

Order No.	Form	Component material	Steel key	Main colour	Surface finish component	A	B	D	D3	H	H1	L
06648-05-67510X50	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	50
06648-05-68510X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	30
06648-05-68510X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	40
06648-05-68510X50	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	50
06648-05-68512X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	30
06648-05-68512X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	40
06648-05-68512X50	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	50
06648-05-06550X15	L	stainless steel	1.4305	traffic red RAL 3020	bright	55	12,6	M5	16	33	21,3	15
06648-05-06550X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	55	12,6	M5	16	33	21,3	20
06648-05-066506X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	20
06648-05-066506X25	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	25
06648-05-066506X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	30
06648-05-066506X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	40
06648-05-066508X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	20
06648-05-066508X25	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	25
06648-05-066508X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	30
06648-05-066508X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	40
06648-05-067508X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	20
06648-05-067508X25	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	25
06648-05-067508X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	30
06648-05-067508X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	40
06648-05-067510X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	20
06648-05-067510X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	30
06648-05-067510X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	40
06648-05-067510X50	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	50
06648-05-068510X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	30
06648-05-068510X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	40
06648-05-068510X50	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	50
06648-05-068512X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	30
06648-05-068512X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	40
06648-05-068512X50	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	50