

Item description/product images



Description

Material:

T-grip reinforced thermoplastic.

Bushes and threaded pins steel or stainless steel 1.4305.

Version:

Grip black grey RAL 7021 or red similar to RAL 3020.


Steel parts trivalent blue passivated.

Stainless steel bright.

On request:

Other screw sizes, screw lengths and colours.

Drawings



Overview of items

T-grip thermoplastic

Order No.	Form	Component material	Steel key	Main colour	Surface finish component	A	B	D	D3	H	H1	L	T
06648-05-5505	K	steel	1.0715	black grey RAL 7021	blue-passivated	55	12,6	M5	16	33	21,3	-	10
06648-05-6506	K	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	-	12
06648-05-6508	K	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	-	14
06648-05-7508	K	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	-	14
06648-05-7510	K	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	-	18
06648-05-8510	K	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	-	18
06648-05-8512	K	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	-	22
06648-05-05505	K	stainless steel	1.4305	black grey RAL 7021	bright	55	12,6	M5	16	33	21,3	-	10
06648-05-06506	K	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	-	12
06648-05-06508	K	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	-	14
06648-05-07508	K	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	-	14
06648-05-07510	K	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	-	18
06648-05-08510	K	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	-	18

Overview of items

Order No.	Form	Component material	Steel key	Main colour	Surface finish component	A	B	D	D3	H	H1	L	T
06648-05-08512	K	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	-	22
06648-05-65505	K	steel	1.0715	traffic red RAL 3020	blue-passivated	55	12,6	M5	16	33	21,3	-	10
06648-05-66506	K	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	-	12
06648-05-66508	K	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	-	14
06648-05-67508	K	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	-	14
06648-05-67510	K	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	-	18
06648-05-68510	K	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	-	18
06648-05-68512	K	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	-	22
06648-05-065505	K	stainless steel	1.4305	traffic red RAL 3020	bright	55	12,6	M5	16	33	21,3	-	10
06648-05-066506	K	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	-	12
06648-05-066508	K	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	-	14
06648-05-067508	K	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	-	14
06648-05-067510	K	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	-	18
06648-05-068510	K	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	-	18
06648-05-068512	K	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	-	22
06648-05-5505X15	L	steel	1.0715	black grey RAL 7021	blue-passivated	55	12,6	M5	16	33	21,3	15	-
06648-05-5505X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	55	12,6	M5	16	33	21,3	20	-
06648-05-6506X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	20	-
06648-05-6506X25	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	25	-
06648-05-6506X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	30	-
06648-05-6506X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	40	-
06648-05-6508X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	20	-
06648-05-6508X25	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	25	-
06648-05-6508X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	30	-
06648-05-6508X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	40	-
06648-05-7508X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	20	-
06648-05-7508X25	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	25	-
06648-05-7508X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	30	-
06648-05-7508X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	40	-
06648-05-7510X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	20	-
06648-05-7510X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	30	-
06648-05-7510X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	40	-
06648-05-7510X50	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	50	-
06648-05-8510X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	30	-
06648-05-8510X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	40	-
06648-05-8510X50	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	50	-
06648-05-8512X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	30	-
06648-05-8512X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	40	-
06648-05-8512X50	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	50	-
06648-05-05505X15	L	stainless steel	1.4305	black grey RAL 7021	bright	55	12,6	M5	16	33	21,3	15	-
06648-05-05505X20	L	stainless steel	1.4305	black grey RAL 7021	bright	55	12,6	M5	16	33	21,3	20	-
06648-05-06506X20	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	20	-
06648-05-06506X25	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	25	-
06648-05-06506X30	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	30	-
06648-05-06506X40	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	40	-
06648-05-06508X20	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	20	-
06648-05-06508X25	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	25	-
06648-05-06508X30	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	30	-
06648-05-06508X40	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	40	-
06648-05-07508X20	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	20	-
06648-05-07508X25	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	25	-
06648-05-07508X30	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	30	-
06648-05-07508X40	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	40	-
06648-05-07510X20	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	20	-
06648-05-07510X30	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	30	-
06648-05-07510X40	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	40	-
06648-05-07510X50	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	50	-
06648-05-08510X30	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	30	-
06648-05-08510X40	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	40	-
06648-05-08510X50	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	50	-
06648-05-08512X30	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	30	-
06648-05-08512X40	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	40	-
06648-05-08512X50	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	50	-
06648-05-65505X15	L	steel	1.0715	traffic red RAL 3020	blue-passivated	55	12,6	M5	16	33	21,3	15	-
06648-05-65505X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	55	12,6	M5	16	33	21,3	20	-

Overview of items

Order No.	Form	Component material	Steel key	Main colour	Surface finish component	A	B	D	D3	H	H1	L	T
06648-05-66506X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	20	-
06648-05-66506X25	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	25	-
06648-05-66506X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	30	-
06648-05-66506X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	40	-
06648-05-66508X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	20	-
06648-05-66508X25	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	25	-
06648-05-66508X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	30	-
06648-05-66508X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	40	-
06648-05-67508X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	20	-
06648-05-67508X25	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	25	-
06648-05-67508X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	30	-
06648-05-67508X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	40	-
06648-05-67510X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	20	-
06648-05-67510X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	30	-
06648-05-67510X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	40	-
06648-05-67510X50	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	50	-
06648-05-68510X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	30	-
06648-05-68510X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	40	-
06648-05-68510X50	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	50	-
06648-05-68512X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	30	-
06648-05-68512X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	40	-
06648-05-68512X50	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	50	-
06648-05-065505X15	L	stainless steel	1.4305	traffic red RAL 3020	bright	55	12,6	M5	16	33	21,3	15	-
06648-05-065505X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	55	12,6	M5	16	33	21,3	20	-
06648-05-066506X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	20	-
06648-05-066506X25	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	25	-
06648-05-066506X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	30	-
06648-05-066506X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	40	-
06648-05-066508X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	20	-
06648-05-066508X25	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	25	-
06648-05-066508X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	30	-
06648-05-066508X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	40	-
06648-05-067508X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	20	-
06648-05-067508X25	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	25	-
06648-05-067508X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	30	-
06648-05-067508X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	40	-
06648-05-067510X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	20	-
06648-05-067510X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	30	-
06648-05-067510X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	40	-
06648-05-067510X50	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	50	-
06648-05-068510X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	30	-
06648-05-068510X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	40	-
06648-05-068510X50	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	50	-
06648-05-068512X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	30	-
06648-05-068512X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	40	-
06648-05-068512X50	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	50	-